

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2456	"first key" same "second key" and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 09:51
L2	68	authenticat\$ same "first key" same "second key" and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 10:35
L3	55	challenge with response and generate with session adj key and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 10:54
L4	52	mutual adj authentication same session adj key and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 11:00
L5	31	authenticat\$ and smdi and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 11:01
L6	13	authenticat\$ and sdmi and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 12:44
L7	0	authenticat\$ same mp3 adj device and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 12:44
L8	0	authenticat\$ same mp3 adj3 device and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 12:44
L9	91	authenticat\$ same media adj3 device and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 13:21
L10	4	mutual adj authentication same generate adj4 session adj key and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 13:25
L11	32	authentication same generate adj4 session adj key and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 14:43
L12	0	first adj authentication adj session and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 14:43

L13	101	authentication adj session and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 14:43
L14	3	multiple with authentication adj session and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 14:44
L15	101	authentication adj session and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:11
L16	247	key with merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:12
L17	3	authentication\$ same key with merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:12
L18	45773	authentication\$ same key with3 merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:12
L19	85	key near3 merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:13
L20	68	key near2 merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:13
L21	3	authentication and key near2 merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:13
L22	4	"713"/\$.ccls. and key near2 merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:15
L23	2	"380"/\$.ccls. and key near2 merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:23
L24	0	first adj key same second adj key same erge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 16:24

C	L25	6	first adj key same second adj key same merge and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 17:00
C	L26	13	API same security same Mobile and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 17:01
	L27	476	API same security and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 17:18
C	L28	34	"713"/\$.ccls. and KEK and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 17:27
C	L29	1	"713"/\$.ccls. and key adj encrypting adj key same symmetric and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/27 17:28
	S1	246	380/270.ccls. and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 13:21
C	S2	86	380/270.ccls. and authenticat\$ and @ad<"20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 15:10
C	S3	2	("5323146").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 15:10